DAFTAR PUSTAKA

Amorim, M., Santos, L., Porto, A. and Martins, L. (2001). *Risk factors for maternal death in patients with severe preeclampsia and eclampsia*.

Asmana, S., Syahredi., and Hilbertina, N. (2016). Hubungan Usia dan Paritas dengan Kejadian Preeklampsia Berat di Rumah Sakit Achmad Mochtar Bukittinggi Tahun 2012 - 2013. *Jurnal Kesehatan Andalas*, 5(3), p.640.

Baker, P. and Kenny, L. (2011). Obstetrics by ten teachers. 19th ed.

Bdolah, Y., Elchalal, U., Natanson-Yaron, S., Yechiam, H., Bdolah-Abram, T., Greenfield, C., Goldman-Wohl, D., Milwidsky, A., Rana, S., Karumanchi, S., Yagel, S. and Hochner-Celnikier, D. (2013). Relationship between nulliparity and preeclampsia may be explained by altered circulating soluble fms-like tyrosine kinase 1. Hypertension in Pregnancy, [online] 33(2), pp.250-259. Available at: https://www.ncbi.nlm.nih.gov/pubmed/24304210 [Accessed 23 Apr. 2018].

BKKBN. (2006). Deteksi Dini Komplikasi Persalinan.

Carlson KL, Bader CL. (2004). Ruptured subcapsular liver hematoma in pregnancy: a case report of nonsurgical management. Am J Obstet Gynecol 190:558.

Cunningham, F., Leveno, K., Bloom, S., Spong, C., Dashe, J., Hoffman, B., Casey, B. and Sheffield, J. (2014). Williams obstetrics. 24th ed. New York: McGraw-Hill.

Danish N, et al. (2018). Assessment of pregnancy outcome in primigravida: comparison between booked and un-booked patients. - PubMed - NCBI. [online] Ncbi.nlm.nih.gov. Available at: https://www.ncbi.nlm.nih.gov/pubmed/21702258 [Accessed 13 Apr. 2018].

Departemen Kesehatan (2018). Kementerian Kesehatan Republik Indonesia. [online] Available at: http://www.depkes.go.id/article/view/17081700004/-inilah-capaian-kinerja-kemenkes-ri-tahun-2015--2017.html [Accessed 18 Mar. 2018].

Dinas Kesehatan Dinkes Provinsi Jawa Timur. (2017). Profil Kesehatan Provinsi Jawa Timur 2016.

Drakeley AJ, Le Roux PA, Anthony J, et al. (2002). Acute renal failure complicating severe preeclampsia requiring admission to an obstetric intensive care unit. Am J Obstet Gynecol 186:253.

Eskenazi, B., Fenster, L. and Sidney, S. (1991). A Multivariate Analysis of Risk Factors for Preeclampsia. JAMA: The Journal of the American Medical Association, [online] 266(2), p.237. Available at: https://jamanetwork.com/journals/jama/article-abstract/386464?redirect=true [Accessed 26 Apr. 2018].

Ganchimeg, T., Ota, E., Morisaki, N., Laopaiboon, M., Lumbiganon, P., Zhang, J., Yamdamsuren, B., Temmerman, M., Say, L., Tunçalp, Ö., Vogel, J., Souza, J. and Mori, R. (2014). Pregnancy and childbirth outcomes among adolescent mothers: a World Health Organization multicountry study. BJOG: An International Journal of Obstetrics & Gynaecology, [online] 121, pp.40-48. Available at: https://obgyn.onlinelibrary.wiley.com/doi/abs/10.1111/1471-0528.12630 [Accessed 21 Apr. 2018].

Gathiram, P. and Moodley, J. (2016). Pre-eclampsia: its pathogenesis and pathophysiolgy. Cardiovascular Journal of Africa, [online] 27(2), pp.71-78. Available at: https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4928171/ [Accessed 28 Mar. 2018].

Haddad B, Barton JR, Livingston JC, et al. (2000). Risk factors for adverse maternal outcomes among women with HELLP (hemolysis, elevated liver enzymes, and low platelet count) syndrome. Am J Obstet Gynecol 183:444.

Hunkapiller, N., Gasperowicz, M., Kapidzic, M., Plaks, V., Maltepe, E., Kitajewski, J., Cross, J. and Fisher, S. (2011). A role for Notch signaling in trophoblast endovascular invasion and in the pathogenesis of pre-eclampsia. *Development*, 138(14), pp.2987-2998.

Hunt, J., Pace, J., Morales, P. and Ober, C. (2003). Immunogenicity of the soluble isoforms of HLA-G. *Molecular Human Reproduction*, 9(11), pp.729-735.

James, D. and Steer, P. (2011). High risk pregnancy. 4th ed. St. Louis, MO: Saunders/Elsevier, p.44.

Lain, K. and Roberts, J. (2002). Contemporary Concepts of the Pathogenesis and Management of Preeclampsia. JAMA, [online] 287(24), p.3183. Available at: https://jamanetwork.com/journals/jama/article-abstract/195047?redirect=true [Accessed 21 Apr. 2018].

Karabulut, A., Ozkan, S., Bozkurt, A., Karahan, T. and Kayan, S. (2013). Perinatal outcomes and risk factors in adolescent and advanced age pregnancies: Comparison with normal reproductive age women. Journal of Obstetrics and Gynaecology, [online] 33(4), pp.346-350. Available at: https://www.ncbi.nlm.nih.gov/pubmed/23654312 [Accessed 21 Apr. 2018].

Kenny, L., English, F. and McCarthy, F. (2015). Risk factors and effective management of preeclampsia. Integrated Blood Pressure Control, [online] p.7. Available at: https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4354613/ [Accessed 28 Mar. 2018].

Kementerian Kesehatan Republik Indonesia. (2010). Pusat Data dan Informasi. [online] Available at: http://www.pusdatin.kemkes.go.id/index.php?category=chart&csid=CS15010003 [Accessed 18 Mar. 2018].

Kementerian Kesehatan Republik Indonesia. (2017). Profil Kesehatan Indonesia Tahun 2016.

Khader, Y., Batieha, A., Al-njadat, R. and Hijazi, S. (2017). Preeclampsia in Jordan: incidence, risk factors, and its associated maternal and neonatal outcomes. *The Journal of Maternal-Fetal & Neonatal Medicine*, 31(6), pp.770-776.

Kho, E., McCowan, L., North, R., Roberts, C., Chan, E., Black, M., Taylor, R. and Dekker, G. (2009). Duration of sexual relationship and its effect on preeclampsia and small for gestational age perinatal outcome. *Journal of Reproductive Immunology*, 82(1), pp.66-73.

Kirshon B, Lee W, Mauer MB, et al. (1988). Effects of low-dose dopamine therapy in the oliguric patient with preeclampsia. Am J Obstet Gynecol 159:604.

Kozic JR, Benton SJ, Hutcheon JA, *et al*. (2011). Abnormal liver function tests as predictors of adverse maternal outcomes in women with preeclampsia. J Obstet Gynaecol Can 33(10):995.

Lamminpää, R., Vehviläinen-Julkunen, K., Gissler, M. and Heinonen, S. (2012). Preeclampsia complicated by advanced maternal age: a registry-based study on primiparous women in Finland 1997–2008. BMC Pregnancy and Childbirth, [online] 12(1). Available at: https://bmcpregnancychildbirth.biomedcentral.com/articles/10.1186/1471-2393-12-47 [Accessed 21 Apr. 2018].

Laresgoiti-Servitje, E. (2013). A leading role for the immune system in the pathophysiology of preeclampsia. Journal of Leukocyte Biology, [online] 94(2), pp.247-257. Available at: https://jlb.onlinelibrary.wiley.com/doi/full/10.1189/jlb.1112603 [Accessed 12 Apr. 2018].

Laresgoiti-Servitje, E. and Gomez-Lopez, N. (2012). The Pathophysiology of Preeclampsia Involves Altered Levels of Angiogenic Factors Promoted by Hypoxia and Autoantibody-Mediated Mechanisms1. Biology of Reproduction, [online] 87(2). Available at: https://academic.oup.com/biolreprod/article/87/2/36,%201-7/2513813 [Accessed 12 Apr. 2018].

Lindheimer MD, Conrad K, Karumanchi SA. (2008). Renal physiology and disease in pregnancy. In Alpern RJ, Hebert SC (eds): Seldin and Giebisch's The Kidney: Physiology and Pathophysiology, 4th ed. New York, Elsevier, p 2339.

Luo, Z., An, N., Xu, H., Larante, A., Audibert, F. and Fraser, W. (2007). The effects and mechanisms of primiparity on the risk of pre-eclampsia: a systematic review. *Paediatric and Perinatal Epidemiology*, 21(s1), pp.36-45.

Martin JN Jr, Brewer JM, Wallace K, *et al*. (2013). HELLP syndrome and composite major maternal morbidity: importance of Mississippi classification System. J Matern Fetal Neonatal Med 26(12):1201.

Martin JN Jr, Owens My, Keiser SD, *et al.* (2012). Standardized Mississippi protocol treatment of 190 patients with HELLP syndrome: slowing disease progression and preventing new major maternal morbidity. Hypertensi Pregnancy 31(1):79.

McHugh, M. (2013). The Chi-square test of independence. *Biochemia Medica*, 23(3), pp.143-149.

Moffett, A. and Hiby, S. (2007). How Does the Maternal Immune System Contribute to the Development of Pre-eclampsia?. *Placenta*, 28, pp.S51-S56.

nhs.uk. (2018). Pre-eclampsia. [online] Available at: https://www.nhs.uk/Conditions/Pre-eclampsia/ [Accessed 18 Mar. 2018].

Norwitz, E., Hsu, C. and Repke, J. (2002). Acute Complications of Preeclampsia. [online] Available at: https://journals.lww.com/clinicalobgyn/Citation/2002/06000/Acute_Complications_of_Preeclampsia.4.aspx [Accessed 23 Apr. 2018].

Notoadmodjo, S. (2010). *Metodologi penelitian kesehatan*. Jakarta: Rineka Cipta.

Nur, A. and Arifuddin, A. (2017). Faktor Risiko Kejadian Preeklampsia pada Ibu Hamil di RSU Anutapura Kota Palu. *Jurnal Kesehatan Tadulako*, 3(2), pp.69-75.

Nursal, D., Tamela, P. and Fitrayeni. (2015). Faktor Risiko Kejadian Preeklampsia pada Ibu Hamil di RSUP DR. M. Djamil Padang Tahun 2014. *Jurnal Kesehatan Masyarakat Andalas*, 10(1), pp.38-44.

Pipkin, F. (2001). Risk Factors for Preeclampsia. *New England Journal of Medicine*, 344(12), pp.925-926.

Redman, C. and Sargent, I. (2010). Immunology of Pre-Eclampsia. *American Journal of Reproductive Immunology*, 63(6), pp.534-543.

Resmi, A., Asfriyati., and Lubis, R. (2013). Faktor yang Berhubungan dengan Preeklampsia pada Kehamilan di Rumah Sakit Umum Muhammadiyah Sumatera Utara Medan tahun 2011-2012. *Jurnal Gizi, Kesehatan Reproduksi dan Epidemiologi*, 2(6).

Roberts, J., August, P., Bakris, G., Barton, J., Bernstein, I., Druzin, M., Gaiser, R., Granger, J., Jeyabalan, A., Johnson, D., Karumanchi, S., Lindheimer, M., Owens, M., Saade, G., Sibai, B., Spong, C., Tsigas, E. and Martin Jr, J. (2013). Hypertension in pregnancy. Washington: American College of Obstetricians and Gynecologists.

Robertson, S., Ingman, W., O'Leary, S., Sharkey, D. and Tremellen, K. (2002). Transforming growth factor β—a mediator of immune deviation in seminal plasma. *Journal of Reproductive Immunology*, 57(1-2), pp.109-128.

Saftlas, A., Levine, R., Klebanoff, M., Martz, K., Ewell, M., Morris, C. and Sibai, B. (2003). Abortion, Changed Paternity, and Risk of Preeclampsia in Nulliparous Women. *American Journal of Epidemiology*, 157(12), pp.1108-1114.

Seely, E. and Ecker, J. (2014). Chronic Hypertension in Pregnancy. Circulation, [online] 129(11), pp.1254-1261. Available at: http://circ.ahajournals.org/content/129/11/1254 [Accessed 4 Apr. 2018].

Seoud, M., Nassar, A., Usta, I., Melhem, Z., Kazma, A. and Khalil, A. (2002). Impact of Advanced Maternal Age on Pregnancy Outcome. American Journal of Perinatology, [online] 19(01), pp.001-008. Available at: https://www.thieme-connect.com/products/ejournals/abstract/10.1055/s-2002-20175 [Accessed 21 Apr. 2018].

Sheehan HL, Lynch JB. (1973). Cerebral lesions. In Pathology of Toxaemia of Pregnancy. Baltimore, Williams & Wilkins.

Shen, M., Smith, G., Rodger, M., White, R., Walker, M. and Wen, S. (2017). Comparison of risk factors and outcomes of gestational hypertension and pre-eclampsia. *PLOS ONE*, 12(4), p.e0175914.

Sibai, BM. (2004). Diagnosis, controversies, and management of the syndrome of hemolysis, elevated liver enzymes, and low platelet count. Obstet Gynecol 103:981.

Sibai, BM., Taslimi, M., El-Nazer, A., Amon, E., Mabie, B. and Ryan, G. (1986). Maternal-perinatal outcome associated with the syndrome of hemolysis, elevated liver enzymes, and low platelets in severe preeclampsia-eclampsia. *Elsevier*, 155(3), pp.501-507.

Spaan JJ, Ekhart T, Spaanderman MEA, et al. (2012). Renal function after preeclampsia: a longitudinal pilot study. Nephron Clin Pract 120(3):c156.

Spargo B, McCartney CP, Winemiller R. (1959). Glomerular capillary endotheliosis in toxemia of pregnancy. Arch Pathol 68:593.

Sustainabledevelopment.un.org. (2018). Goal 3 : Sustainable Development Knowledge Platform. [online] Available at: https://sustainabledevelopment.un.org/sdg3 [Accessed 26 Mar. 2018].

Swarjana, I. (2012). Metodologi Penelitian Kesehatan. 1st ed. Yogyakarta: Penerbit Andi.

Tan, C., Ho, J., Chong, Y., Loganath, A., Chan, Y., Ravichandran, J., Lee, C. and Chong, S. (2008). Paternal contribution of HLA-G*0106 significantly increases risk for pre-eclampsia in multigravid pregnancies. *MHR: Basic science of reproductive medicine*, 14(5), pp.317-324.

Taufield PA, Ales KL, Resnick LM, et al. (1987). Hypocalciuria in preeclampsia. N Engl J Med 316:715.

Uzan, J., Carbonnel, M., Piconne, O., Asmar, R. and Ayoubi, J. (2011). Pre-eclampsia: pathophysiology, diagnosis, and management. Vascular Health and Risk Management, [online] p.467. Available at: https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3148420/ [Accessed 28 Mar. 2018].

Verma, M., Kapoor, P., Yadav, R. and Manohar, R. (2017). Risk Factor Assessment for Preeclampsia: A Case Control Study. *International Journal of Medicine and Public Health*, 7(3), pp.172-177.

Vigil-De Gracia P, Ortega-Paz L. (2012). Pre-eclampsia/eclampsia and hepatic rupture. Int J Gynaecol Obstet 118(3):186.

Wagner, L. (2018). Diagnosis and Management of Preeclampsia. [online] Aafp.org. Available at: https://www.aafp.org/afp/2004/1215/p2317.html [Accessed 13 Apr. 2018].

Widi Prianita, A. (2011). Pengaruh Faktor Usia Ibu Terhadap Keluaran Maternal dan Perinatal pada Persalinan Primigravida di RS. Kariadi Semarang Periode Tahun 2010. [online] Available at: http://eprints.undip.ac.id/32864/1/Anna_Widi.pdf [Accessed 29 Mar. 2018].

World Health Organization. (2018). Millennium Development Goals (MDGs). [online] Available at: http://www.who.int/topics/millennium_development_goals/en/ [Accessed 26 Mar. 2018].

Young, B., Levine, R. and Karumanchi, S. (2009). Pathogenesis of Preeclampsia. [online] Svmi.web.ve. Available at: http://svmi.web.ve/wh/intertips/REVISION-PREECLAMPSIA.pdf [Accessed 20 Apr. 2018].

Zwart JJ, Richters A, Öry F, et al. (2008). Eclampsia in The Netherlands. Obstet Gynecol 112:820.